



BRASS AND CHROME-PLATED TREADED FITTINGS, NOZZLES AND TAP EXTENSIONS

 **HEAVY-DUTY**  **SUPERIOR IN PRICE & QUALITY**  **POLISHED CHROME**



TECHNICAL DOCUMENTATION

PRODUCT CATALOGUE

Brass and chrome-plated threaded fittings, nozzles and tap extensions

 <p>Socket 2 x female</p>	 <p>Socket 2 x female polished chrome-plated</p>	 <p>Socket reduced 2 x female</p>	 <p>Socket reduced 2 x female polished chrome-plated</p>	 <p>Flush nipple male</p>
 <p>Double nipple 2 x male</p>	 <p>Double nipple 2 x male polished chrome-plated</p>	 <p>Reduced nipple 2 x male</p>	 <p>Reduced nipple 2 x male polished chrome-plated</p>	 <p>Coupling ring reduced male x female</p>
 <p>Coupling ring reduced male x female polished chrome-plated é</p>	 <p>Capping nut female</p>	 <p>Capping nut female, polished chrome-plated</p>	 <p>Plug male</p>	 <p>De-aerator male</p>
 <p>Reducer ring male x female</p>	 <p>Attic wall plate female hexagon nut</p>	 <p>Attic wall plate female, hexagon nut polished chrome-plated</p>	 <p>Back nut female</p>	 <p>Elbow 2 x female</p>

 <p>Elbow 2 x female polished chrome-plated</p>	 <p>Elbow with collar 2 x male</p>	 <p>Elbow with collar male x female</p>	 <p>Elbow with collar male x female, polished chrome-plated</p>	 <p>Elbow male x female</p>
 <p>Y-branch male x female x male</p>	 <p>Y-branch male x female x male polished chrome-plated</p>	 <p>Y-branch female x male x female</p>	 <p>Y-branch female x male x female polished chrome-plated</p>	 <p>Tee 3 x female</p>
 <p>Tee 3 x female polished chrome-plated</p>	 <p>Reducing tee 3 x female</p>	 <p>Tee female x male x female</p>	 <p>Tee 3 x male</p>	 <p>Tee male x female x male</p>
 <p>Tee female x female x male, polished chrome-plated</p>	 <p>Cross 4 x female</p>	 <p>Brass Y stainless steel filter 2 x female</p>	 <p>Double insert</p>	 <p>Insert male x mm</p>
 <p>Insert male x mm polished chrome-plated</p>	 <p>Insert female x mm</p>	 <p>Nozzle Female x male thread</p>	 <p>Nozzle Female x male polished chrome-plated</p>	 <p>Tap extension nozzle Female x length (mm)</p>

 <p>Tap extension nozzle female x length (mm) polished chrome-plated</p>	 <p>Rapid action coupling hose connection</p>	 <p>Rapid action coupling female</p>	 <p>Rapid action coupling male</p>	 <p>Rapid action coupling 3 way, complete</p>
 <p>Jet nozzle quick coupling</p>	 <p>Rapid action coupling swivel bobbinet</p>	 <p>Non-return valve 2 x female</p>		

INTRODUCTION

BONFIX B.V. supplies a large range of brass and brass chrome-plated threaded fittings, nozzles and tap extensions under the BONFIX brand name.

TECHNICAL INFORMATION

The technical specifications are based on the current industry and regulatory status. BONFIX B.V. reserves the right to modify technical specifications without prior notice. No rights can be derived from the technical information provided in this brochure.

GENERAL

BONFIX threaded fittings are couplings designed to provide a water and air tight connection between appliances, appendixes and pipes.

PRODUCT USAGE

BONFIX threaded fittings, nozzles and tap extensions are designed for connections in water supply systems, compressed air systems and central heating installations. The fittings are suitable for connecting appliances, appendixes and coupling sections. Local regulations should be observed and respected within each area of usage. Other forms of usage, depending on pressure/temperature and medium, may be permitted but require prior written approval by BONFIX B.V.

TECHNICAL SPECIFICATIONS

BONFIX threaded fittings are manufactured from premium quality brass. The straight parts are made of CuZn39Pb3, the press parts of CuZn40Pb2. Built-in or sub-surface connections and connections which are laid in a brass-aggressive environment should be adequately protected.

INSTALLATION INSTRUCTIONS

Remove dust and/or dirt from thread. Wrap the thread (in direction of thread) with hemp, kit or Teflon PTFE tape. Turn and tighten both threaded ends. Note: hemp may be used for central heating systems ONLY.

QUALITY MARK

BONFIX threaded fittings, nozzles and tap extensions do not bear a quality mark.



 *Use appropriate tools for installation and prevent damage.*

WARRANTY AND LIABILITY

*Warranty and liability apply as per our general terms and conditions.
Damage caused by stress corrosion is not covered under product warranty.*

bonfix[®] *Superieur*

 **SUPERIOR IN PRICE & QUALITY**



LIKE BONFIX ON FACEBOOK

- ✓ Always up to date on new products
- ✓ Fun actions and specials
- ✓ Direct contact with BONFIX staff OR
- ✓ Visit our website: www.bonfix.eu