

(ANGLE) BALL VALVES AND MINI BALL VALVES FOR WASH BASINS

 **SUPERIOR IN PRICE & QUALITY**



INTRODUCTION

BONFIX B.V. supplies a large range of KIWA-ATA certified wash basin (angle) ball valves and mini ball valves under the BONFIX brand name.

TECHNICAL INFORMATION

The technical specifications are based on the current industry and regulatory status. BONFIX B.V. reserves the right to modify technical specifications without prior notice. No rights can be derived from the technical information provided in this brochure.



GENERAL

BONFIX (angle) ball valves and mini ball valves for wash basins are designed for shutting off the water supply to the system by way of a ball valve. The valves open to maximum pipe flow rate and can be operate either by screw driver action or easy-action control lever.

PRODUCT USAGE

BONFIX (angle) ball valves and mini ball valves for wash basins can be used, respectively, for clean water systems and central heating installations. Other forms of usage, depending on pressure, temperature and medium, may be permitted but require prior written approval by BONFIX B.V.

TECHNICAL SPECIFICATIONS

BONFIX (angle) ball valves for wash basins and BONFIX mini-ball valves are made from premium quality brass (CuZn39Pb3 for straight turning and CuZn40Pb2 for compression fittings, e.g. elbows) and provided with a chrome-plated ball with Teflon seal for permanent smooth and easy action.

BONFIX KIWA-ATA wash basin (angle) ball valves for drinking water can be used in any situation where the working pressure does not exceed 1000 kPa (10 bar) and the temperature does not exceed +90 °C.


QUALITY MARK

BONFIX wash basin (angle) ball valves bear the KIWA-ATA quality mark.

INSTALLATION INSTRUCTIONS

For installation of BONFIX wash basin (angle) ball valves and mini-ball valves we refer to the technical documentation for compression fittings.

The use of hemp in drinking water systems is strongly discouraged due to the microbiologic process after contact with water (such as legionella) and the risk of tearing due to swelling. In any event where hemp is used, the risk is for the fitter and BONFIX expressly rejects any liability associated with such usage.

 *Use appropriate tools for installation and prevent damage.*












WARRANTY AND LIABILITY

Warranty and liability apply as per our general terms and conditions.

Damage caused by stress corrosion is not covered under product liability.

PRODUCT CATALOGUE

(Angle) ball valves and mini ball valves for wash basins.

 <p>Screwdriver action 2 x compression</p>	 <p>Black control lever 2 x compression</p>	 <p>Chrome-plated control lever 2 x compression</p>	 <p>Screwdriver action 2 x compression</p>	 <p>Chrome-plated control lever 2 x compression</p>
 <p>Screwdriver action, flush male thread male x compress</p>	 <p>Screwdriver action, flush male thread male x compress</p>	 <p>Screwdriver action 2 x female</p>	 <p>Black control lever 2 x female</p>	 <p>Screwdriver action male x female</p>
 <p>Black control lever male x female</p>				

bonfix[®] *Supérieur*

 **SUPERIOR IN PRICE & QUALITY**



LIKE BONFIX ON FACEBOOK

- ✓ Always up to date on new products
- ✓ Fun actions and specials
- ✓ Direct contact with BONFIX staff OR
- ✓ Visit our website: www.bonfix.eu