

## **DELUXE FROST-FREE OUTSIDE TAP WITH KIWA-APPROVED NON-RETURN VALVE**



**OUTSIDE TAP**



**SUPERIOR IN PRICE & QUALITY**



**PRODUCT CATALOGUE**

**Deluxe Frost-free outside tap with KIWA-approved non-return valve**

|   |   |   |   |  |
|---|---|---|---|--|
|  <p><b>Deluxe Frost-free outside tap</b></p> |  <p><b>Plastic tap handle</b></p>  |  <p><b>Plastic operating key</b></p> |  <p><b>Brass spindle</b></p>  |  <p><b>Separate nut + ring</b><br/>18mm</p> |
|  <p><b>Internal body</b></p>                 |  <p><b>Compression elbow with integrated KIWA non-return valve</b><br/>18mm x 15mm</p> |  <p><b>Rubber tap washer</b></p>     |  <p><b>Tap connector</b></p> |  |

## INTRODUCTION


BONFIX B.V. supplies Deluxe frost-free outside taps with an integrated KIWA-approved non-return valve under the BONFIX brand name.

## TECHNICAL INFORMATION

The technical specifications are based on the current industry and regulatory status. BONFIX B.V. reserves the right to modify technical specifications without prior notice. No rights can be derived from the technical information provided in this brochure.

## QUALITY BRAND

The BONFIX Deluxe frost-free outside tap is provided with an integrated KIWA approved non-return valve.



## FEATURES

- Stainless-steel wall plate (3) with 2-degree angle providing the required drainage through the automatic drain.
- Elbow connector 15 x 18mm (7) with 88-degree angle to compensate for 2-degree angle of wall plate.
- Extended compression elbow (7) fitted with KIWA-approved Watts Ocean non-return valve.
- Brickwork: when drilling hole for copper pipe (4) in cement joint between bricks the two corresponding holes for the stainless steel wall plate (3) are drilled in a whole brick.
- Interior of chrome-plated body (2) is not chrome-plated to allow for a proper soldered joint.
- Stainless steel wall plate (3) with key hole to prevent tap head from rotating, e.g. when closing/ opening tap.
- Tap provided with 18mm water supply pipe (4) n lieu of 22mm to allow for smaller hole in wall with no loss of flow.
- Copper pipe in protective sleeve easily cut to correct length.
- Tap supplied with 2 tap handles (1) & (8). Screw-on handle (1) removable key (8)
- Tap head (2) provided with warning label to point consumer to automatic drain. Label attached with non-permanent glue.

## CAUTION

Please check that you have received all the components. Prior to installation, flush the pipes thoroughly to prevent dirt from entering the NON-RETURN valve and / or tap body.

The stainless steel wallplate is provided with a fixed 2-degree gradient to ensure always perfect drain action.


## FUNCTION OF THE NON-RETURN VALVE

The integrated KIWA-approved non-return valve prevents polluted water from returning to the water system.

**Bore guide**

| Wall thickness (mm) | bore     |
|---------------------|----------|
| 150                 | 24 / 30* |
| 200                 | 26 / 32* |
| 250                 | 28 / 34* |
| 300                 | 30 / 36* |
| 350                 | 32 / 38* |
| 400                 | 34 / 40* |

\* if using a protective sleeve




**COMPONENTS**

The BONFIX Deluxe frost-free outside tap with KIWA certified non-return valve consists of the following components: a plastic handle (1), a tap body (2), a wall plate (3), a length of copper pipe (4), a copper spindle (5), a plastic rosette (6), a complete compression elbow with integrated KIWA certified non-return valve (7), a plastic key handle (8), a hose buckle and bobbinet (9), stainless steel screws with matching wall plugs (2x) (10) and a sleeve (11) to protect the copper pipe.

**CAUTION**

Important information if water pipe must be cut to fit!



\*The length cut (A2) from the spindle (5) must be exactly the same as the length (A1) cut from the copper pipe (4).

# **bonfix**<sup>®</sup> *Supérieur*

## **SUPERIOR IN PRICE & QUALITY**



### LIKE BONFIX ON FACEBOOK

- ✓ Always up to date on new products
- ✓ Fun actions and specials
- ✓ Direct contact with BONFIX staff OR
- ✓ Visit our website: [www.bonfix.eu](http://www.bonfix.eu)